



## PFX

## A900

Punte PFX serie corta



$d_1$ R <sub>h8</sub> Inch	$d_1$ R <sub>h8</sub> mm	$d_1$ decimal Inch	$l_2$ mm	$l_1$ mm	e-code	EUR
	1.00	0.0394	12	34	A9001.0	8,35
	1.10	0.0433	14	36	A9001.1	8,73
3/64	1.19	0.0469	19	44	A9003/64	8,73
	1.20	0.0472	16	38	A9001.2	8,73
	1.25	0.0492	16	36	A9001.25	10,35
	1.30	0.0512	16	38	A9001.3	8,35
	1.40	0.0551	18	40	A9001.4	8,01
	1.50	0.0591	18	40	A9001.5	7,35
	1.55	0.0610	20	43	A9001.55	9,82
1/16	1.59	0.0625	22	48	A9001/16	7,03
	1.60	0.0630	20	43	A9001.6	7,03
	1.70	0.0669	20	43	A9001.7	7,62
	1.75	0.0689	22	46	A9001.75	8,86
	1.80	0.0709	22	46	A9001.8	7,47
	1.90	0.0748	22	46	A9001.9	7,35
5/64	1.98	0.0781	25	51	A9005/64	7,62
	2.00	0.0787	24	49	A9002.0	5,96
	2.10	0.0827	24	49	A9002.1	7,03
	2.15	0.0846	27	53	A9002.15	9,28
	2.20	0.0866	27	53	A9002.2	7,23
	2.30	0.0906	27	53	A9002.3	7,23
3/32	2.38	0.0937	32	57	A9003/32	6,73
	2.40	0.0945	30	57	A9002.4	7,23
	2.50	0.0984	30	57	A9002.5	6,73
	2.60	0.1024	30	57	A9002.6	7,47
	2.70	0.1063	33	61	A9002.7	7,62
7/64	2.78	0.1094	38	67	A9007/64	7,47

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	EUR
	2.80	0.1102	33	61	A9002.8	7,47
	2.90	0.1142	33	61	A9002.9	7,23
	3.00	0.1181	33	61	A9003.0	6,73
	3.10	0.1220	36	65	A9003.1	7,88
1/8	3.18	0.1250	41	70	A9001/8	6,73
	3.20	0.1260	36	65	A9003.2	7,77
	3.30	0.1299	36	65	A9003.3	7,03
	3.40	0.1339	39	70	A9003.4	8,01
	3.50	0.1378	39	70	A9003.5	8,24
9/64	3.57	0.1406	44	73	A9009/64	8,58
	3.60	0.1417	39	70	A9003.6	8,58
	3.70	0.1457	39	70	A9003.7	8,24
	3.80	0.1496	43	75	A9003.8	9,67
	3.90	0.1535	43	75	A9003.9	9,67
5/32	3.97	0.1563	51	79	A9005/32	8,73
	4.00	0.1575	43	75	A9004.0	8,73
	4.10	0.1614	43	75	A9004.1	9,67
	4.20	0.1654	43	75	A9004.2	9,12
	4.30	0.1693	47	80	A9004.3	10,85
11/64	4.37	0.1719	54	83	A90011/64	10,35
	4.40	0.1732	47	80	A9004.4	10,35
	4.50	0.1772	47	80	A9004.5	10,35
	4.60	0.1811	47	80	A9004.6	10,85
	4.70	0.1850	47	80	A9004.7	10,75
3/16	4.76	0.1875	59	89	A9003/16	9,67
	4.80	0.1890	52	86	A9004.8	11,30
	4.90	0.1929	52	86	A9004.9	11,00
	5.00	0.1969	52	86	A9005.0	10,85
	5.10	0.2008	52	86	A9005.1	12,40
13/64	5.16	0.2031	62	92	A90013/64	12,50
	5.20	0.2047	52	86	A9005.2	12,70
	5.30	0.2087	52	86	A9005.3	12,85
	5.40	0.2126	57	93	A9005.4	13,75
	5.50	0.2165	57	93	A9005.5	14,40
7/32	5.56	0.2188	64	95	A9007/32	11,85
	5.60	0.2205	57	93	A9005.6	15,25
	5.70	0.2244	57	93	A9005.7	15,70
	5.80	0.2283	57	93	A9005.8	15,65
	5.90	0.2323	57	93	A9005.9	15,55
15/64	5.95	0.2344	67	98	A90015/64	16,45
	6.00	0.2362	57	93	A9006.0	14,05
	6.10	0.2402	63	101	A9006.1	16,45
	6.20	0.2441	63	101	A9006.2	16,45
	6.30	0.2480	63	101	A9006.3	16,55
1/4	6.35	0.2500	70	102	A9001/4	15,45
	6.40	0.2520	63	101	A9006.4	16,80
	6.50	0.2559	63	101	A9006.5	17,55

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	EUR
	6.60	0.2598	63	101	A9006.6	18,45
	6.70	0.2638	63	101	A9006.7	19,00
17/64	6.75	0.2656	73	105	A90017/64	19,00
	6.80	0.2677	69	109	A9006.8	19,00
	6.90	0.2717	69	109	A9006.9	21,10
	7.00	0.2756	69	109	A9007.0	20,10
	7.10	0.2795	69	109	A9007.1	21,80
9/32	7.14	0.2813	75	108	A9009/32	21,10
	7.20	0.2835	69	109	A9007.2	20,90
	7.30	0.2874	69	109	A9007.3	21,35
	7.40	0.2913	69	109	A9007.4	23,40
	7.50	0.2953	69	109	A9007.5	21,35
19/64	7.54	0.2969	78	111	A90019/64	24,10
	7.60	0.2992	75	117	A9007.6	24,30
	7.70	0.3031	75	117	A9007.7	24,10
	7.80	0.3071	75	117	A9007.8	25,20
	7.90	0.3110	75	117	A9007.9	25,70
5/16	7.94	0.3125	81	114	A9005/16	23,30
	8.00	0.3150	75	117	A9008.0	23,60
	8.10	0.3189	75	117	A9008.1	27,00
	8.20	0.3228	75	117	A9008.2	25,85
	8.30	0.3268	75	117	A9008.3	26,40
21/64	8.33	0.3281	84	117	A90021/64	31,55
	8.40	0.3307	75	117	A9008.4	27,70
	8.50	0.3346	75	117	A9008.5	26,85
	8.60	0.3386	81	125	A9008.6	31,85
	8.70	0.3425	81	125	A9008.7	32,75
11/32	8.73	0.3438	87	121	A90011/32	26,00
	8.80	0.3465	81	125	A9008.8	31,55
	8.90	0.3504	81	125	A9008.9	33,70
	9.00	0.3543	81	125	A9009.0	31,15
	9.10	0.3583	81	125	A9009.1	33,70
23/64	9.13	0.3594	89	124	A90023/64	34,45
	9.20	0.3622	81	125	A9009.2	35,90
	9.30	0.3661	81	125	A9009.3	34,55
	9.40	0.3701	81	125	A9009.4	36,10
	9.50	0.3740	81	125	A9009.5	33,85
3/8	9.52	0.3750	92	127	A9003/8	33,85
	9.60	0.3780	87	133	A9009.6	37,15
	9.70	0.3819	87	133	A9009.7	38,65
	9.80	0.3858	87	133	A9009.8	39,05
	9.90	0.3898	87	133	A9009.9	40,00
25/64	9.92	0.3906	95	130	A90025/64	42,35
	10.00	0.3937	87	133	A90010.0	37,00
	10.20	0.4016	87	133	A90010.2	47,15
	10.30	0.4055	87	133	A90010.3	49,10
13/32	10.32	0.4063	98	133	A90013/32	40,20

d <sub>1</sub> R <sub>h8</sub> Inch	d <sub>1</sub> R <sub>h8</sub> mm	d <sub>1</sub> decimal Inch	l <sub>2</sub> mm	l <sub>1</sub> mm	e-code	EUR
	10.40	0.4094	87	133	A90010.4	52,80
	10.50	0.4134	87	133	A90010.5	47,75
27/64	10.72	0.4219	100	137	A90027/64	48,70
	10.80	0.4252	94	142	A90010.8	58,60
	11.00	0.4331	94	142	A90011.0	54,90
7/16	11.11	0.4375	103	140	A9007/16	43,10
	11.50	0.4528	94	142	A90011.5	58,60
29/64	11.51	0.4531	106	143	A90029/64	55,90
	11.80	0.4646	94	142	A90011.8	73,80
15/32	11.91	0.4688	110	146	A90015/32	61,50
	12.00	0.4724	101	151	A90012.0	63,80
31/64	12.30	0.4844	111	149	A90031/64	73,30
	12.50	0.4921	101	151	A90012.5	69,60
1/2	12.70	0.5000	101	151	A9001/2	71,90
	13.00	0.5118	101	151	A90013.0	75,80
33/64	13.10	0.5156	122	168	A90033/64	90,10
	13.50	0.5315	108	160	A90013.5	106,00
35/64	13.89	0.5469	122	168	A90035/64	112,00
	14.00	0.5512	108	160	A90014.0	107,00
9/16	14.29	0.5625	122	168	A9009/16	110,00
	14.50	0.5709	114	169	A90014.5	128,00
37/64	14.68	0.5781	122	168	A90037/64	158,00
	15.00	0.5906	114	169	A90015.0	132,00
19/32	15.08	0.5938	132	181	A90019/32	138,00
39/64	15.48	0.6094	132	181	A90039/64	201,00
	15.50	0.6102	120	178	A90015.5	151,00
5/8	15.88	0.6250	132	181	A9005/8	151,00
	16.00	0.6299	120	178	A90016.0	155,00
41/64	16.27	0.6406	132	181	A90041/64	194,00
	16.50	0.6496	125	184	A90016.5	178,00
21/32	16.67	0.6563	132	181	A90021/32	170,00
	17.00	0.6693	125	184	A90017.0	173,00
43/64	17.07	0.6719	143	194	A90043/64	206,00
11/16	17.46	0.6875	143	194	A90011/16	180,00
	17.50	0.6890	130	191	A90017.5	208,00
45/64	17.86	0.7031	130	191	A90045/64	254,00
	18.00	0.7087	130	191	A90018.0	202,00
23/32	18.26	0.7188	130	191	A90023/32	244,00
	18.50	0.7283	135	198	A90018.5	238,00
47/64	18.65	0.7344	135	198	A90047/64	244,00
	19.00	0.7480	135	198	A90019.0	232,00
3/4	19.05	0.7500	135	198	A9003/4	275,00
49/64	19.45	0.7656	135	198	A90049/64	275,00
	19.50	0.7677	140	205	A90019.5	277,00
25/32	19.84	0.7813	140	205	A90025/32	275,00
	20.00	0.7874	140	205	A90020.0	275,00